IN THE UNITED STATES PATENT AND TRADEMARK OFFICE.

In re Application of: Varner, Judith A.

Serial No.: 10/573,944 Group No.: 1644

Filed: 3/14/2007 Examiner: N. A.

Entitled: Methods for Altering Hematopoietic Progenitor
Cell Adhesion, Differentiation, and Migration

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

CERTIFICATE OF ELECTRONIC FILING

I hereby certify that this correspondence (along with any referred to as being attached or enclosed) is, on the date shown below, being deposited with the U.S. Patent and Trademark Office, on July 1, 2009.

By: Abby Everson

Sir or Madam:

The citations listed below may be material to the examination of the above-identified application, and are therefore submitted in compliance with the duty of disclosure defined in 37 C.F.R. §§ 1.56 and 1.97.

Copies of the patent references listed as numbers 1-30 on the enclosed PTO-1449 are not submitted in accordance with 37 CFR § 1.98(a)(2)(ii), since they are U.S. patents or U.S. patent application publications.

Copies of the references listed as number 31-163 on the enclosed PTO-1449 are enclosed.

The Examiner is requested to make these citations of official record in this application.

The following patents are referred to in the body of the specification:

- U.S. Prov. Appln. Serial No. 60/507,202, J. Varner, filed 09-29-2003;
 U.S. Patent No. 4.244.496, R. Litz. issued 01-13-1981;
- U.S. Patent No. 4,639,512, F. Audibert, issued 01-27-1987;
- U.S. Patent No. 4,950,480, B. Barber, issued 08-21-1990;
- 0.5. 1 atclit 110. 4,750,400, D. Darber, lastice 00-21-1770,
- U.S. Patent No. 5,061,620, A. Tsukamoto, issued 10-29-1991;
- U.S. Patent No. 5,194,254, B. Barber, issued 03-16-1993;
- U.S. Patent No. 5,199,942, S. Gillis, issued 04-06-1993;
- U.S. Patent No. 5,225,347, A. Goldberg, issued 07-06-1993;
- U.S. Patent No. 5,246,921, P. Reddy, issued 9-21-1993;

- U.S. Patent No. 5,270,163, L. Gold, issued 12-14-1993;
- U.S. Patent No. 5,442,043, M. Fukuta, issued 08-15-1995;
- U.S. Patent No. 5,500,357, K. Taira, issued 03-19-1996;
- U.S. Patent No. 5,527,895, A. E. Hampel, issued 06-18-1996:
- U.S. Patent No. 5,541,103, L. Kanz, issued 07-30-1996;
- U.S. Patent No. 5,545,806, N. Lonberg, issued 08-13-1996;
- U.S. Patent No. 5,569,825, N. Lonberg, issued 10-29-1996;
- U.S. Patent No. 5,574,142, R. B. Meyer Jr., issued 11-12-1996;
- U.S. Patent No. 5,622,699, E. Ruoslahti, issued 04-22-1997;
- U.S. Patent No. 5,625,126, N. Lonberg, issued 04-29-1997;
- U.S. Patent No. 5,736,146, I. R. Cohen, issued 04-07-1998;
- U.S. Patent No. 5,750,105, R. A. Newman, issued 05-12-1998;
- U.S. Patent No. 5,760,029, P. K. Jadhav, issued 06-02-1998;
- U.S. Patent No. 5,780,426, M. A. Palladino, issued 07-14-1998;
- U.S. Patent No. 5,980,887, J. M. Isner, issued 11-09-1999;
- U.S. Patent No. 6,071,532, E. L. Chaikof, issued 06-06-2000;
- U.S. Patent No. 6,110,687, T. W. Nilsen, issued 08-29-2000:
- U.S. Patent No. 6,117,631, T. W. Nilsen, issued 09-12-2000;
- U.S. Patent No. 6,252,043, C. A. Hession, issued 06-26-2001;
- U.S. Patent No. 6,645,489, M. J. Pykett, issued 11-11-2003.
- EPO Patent No. EP0140308; published October 17, 2001;
- EPO Patent No. EP0842943; published February 26, 2003.
- WO Patent No. WO00/39292, published June 06, 2007;
- WO Patent No. WO03/19136, published March 06, 2003;
- WO Patent No. WO92/00995, published January 23, 1992;
- WO Patent No. WO94/11027, published May 26, 1994;
- WO Patent No. WO95/15973, published June 15, 1995;
- WO Patent No. WO96/00581, published January 11, 1996;
- WO Patent No. WO96/06108, published February 29, 1996;
- WO Patent No.WO96/20216, published July 04, 1996;
- WO Patent No. WO96/22966, published August 01, 1996;
- WO Patent No. WO97/02289, published January 23, 1997; and
- WO Patent No. WO98/42656, published October 01, 1998.

The following printed publications are referred to in the body of the specification:

- Asahara et al. Isolation of Putative Progenitor Endothelial Cells for Angiogenesis. (1997) Science 275,964-967;
- Atherton et al., Peptide Synthesis. Part 7.' Solid-phase Synthesis of Conotoxin G1, J. Chem. Soc. Trans. 1: 2065 (1985):
- Ausprunk, Vascularization of Normal and Neoplastic Tissues Grafted to the Chick Chorioallantois, Amer. 3. Path., 79, No. 3: 597-610 (1975);
- Bartolome et al. Rapid Up-Regulation of 4 Integrin-mediated Leukocvte Adhesion by Transforming Growth Factor- 1, (2003) Mol. Biol. Cell 14,54-66);

- Belicci et al. Human Skin-Derived Stem Cells Migrate Throughout Forebrain and Differentiate Into Astrocytes After Injection Into Adult Mouse Brain, (2004) J. Neurosci Res. 77.475-86;
- Blondelle et al., Soluble combinatorial libraries of organic, peptidomimetic and peptide diversities, Trends Anal. Chem. 14:83-92 (1995);
- Bochner et al., Adhesion of Human Basophils, Eosinophils, and Neutrophils to Interleukin I-activated Human Vaacular Endothelial Cells: Contributions of Endothelial Cell Adhesion Molecules, J. Exp. Med. (1991) 173(6): 1553-7;
- Boehm et al. Bone marrow-derived immune cells regulate vascular disease through a p27Kip1-dependent mechanism, (2004) J. Clin. Invest. 1 14,419-426;
- Brando et al., EC3, a Heterodimeric Disintegrin from Echis carinatus, Inhibits Human and Murine a4 Integrin and Attenuates Lymphocyte Infiltration of Langerhans Islets in Pancreas and Salivary Glands in Nonobese Diabetic Mice, Biochem. Biophys. Res. Commun. (2000) 267(1): 413-417;
- Brooks et al., Requirement of Vascular Integrin cV4I3 for Angiogenesis, Science. 1994 264:569-71:
- Cardarelli et al., Cyclic RGD Peptide Inhibits a4pl Interaction with Connecting Segment 1 and Vascular Cell Adhesion Molecule*, J. Biol. Chem. (1994) 269(28): 18668-73;
- Carlsson et al., Monoclonal Antibodies into the 90's: The All Purpose Tool, (1989) Bio/Technology 7: 567-73;
- Carmeliet, Angiogenesis in Health and Disease, (2003) Nat. Med. 9,653-660;
- Carmeliet et al., Angiogenesis in cancer and other diseases, Nature, (2000) Sep 14; 407(6801): 249-57;
- Chisholm et al., Monoclonal antibodies to the integrin a-4 subunit inhibit the murine contact hypersensitivity response, (1993) European J. Immunol. 23: 682-688);
- Clements et al., Identification of a key integrin-binding sequence in VCAM-1 homologous to the LDV active site in fibronectin, J. Cell Sci. (1994) 107 (Pt 8): 2127-35);
- Craddock et al., Antibodies to VLA4 Integrin Mobilize Long-Term Repopulating Cells and Augment Cytokine-Induced Mobilization in Primates and Mice, (1997) Blood 90,4779-4788;
- Curley et al., Integrin antagonists, (1999) Cell. Mol. Life Sci., 56:427-441;
- Cursiefen et al. VEG F-A stimulates lymphangiogenesis and hernangiogenesis in inflammatory neovascularization via macrophage recruitment, (2004) J. Clin. Invest. 1 13:1040-1050:
- de Kruif et al., Biosynthetically lipid-modified human scFv fragments from phage display libraries as targeting molecules for immunoliposomes, FEBS Lett., 399:232-236 (1996);
- Ding et al., Synthesis and Biological Activity of Oligosaccharide Libraries, Adv. Expt. Med. Biol. 376:261-269 (1995);
- Dittel et al., Regulation of Human B-Cell Precursor Adhesion to Bone Marrow Stromal Cells by Cytokines That Exert Opposing Effects on the Expression of Vascular Cell Adhesion Molecule-1 (VCAM-1), (1993) Blood 81:2272-2282;

- Drabick et al., Covalent Polymyxin B Conjugate with Human Immunoglobulin G as an Antiendotoxin Reagent, (1998) Antimicrob. Agents Chemother. 42:583-588;
- Dudgeon et al., Expression and characterization of a very-late antigen-4 (a4βl) integrin-binding fragment of vascular cell-adhesion molecule-1, Eur. J. Biochem. (1994) 226(2): 517-23;
- Ecker et al., Combinatorial Drug Discovery: Which Methods will Produce the Greatest Value? Bio/Technology 13:35 1-360 (1995);
- Elices et al., VCAM-1 on Activated Endothelium Interacts with the Leukocyte Integrin VLA-4 at a Site Distinct from the VLA=4/Fibronectin Binding Site, (1990) Cell 60,577-584;
- Elices et al., Expression and Functional Significance of Alternatively Spliced CSI Fibronectin in Rheumatoid Arthritis Microvasculature, J Clin Invest. (1994) 93(1): 405-16:
- Friede et al., Selective induction of protection against influenza virus infection in mice by a lipid-peptide conjugate delivered in liposomes, (1994) Vaccine 12:791-797:
- Garcia-Pardo et al., TWO NOVEL MONOCLONAL ANTIBODIES TO FIBRONECTIN THAT RECOGNIZE THE HEP II AND CS-1 REGIONS RESPECTIVELY: THEIR DIFFERENTIAL EFFECT ON LYMPHOCYTE ADHESION, (1992) Biochemical and Biophysical Research Communications 186 (I): 135-42;
- Gordon et al., Applications of Combinatorial Technologies to Drug Discovery. 2.
 Combinatorial Organic Synthesis, Library Screening Strategies, and Future Directions, J. Med. Chem. 37: 1385-1401 (1994);
- Grant et al., Two Different Laminin Domains Mediate the Differentiation of Human Endothelial Cells into Capillary-like Structures In Vitro, Cell, 5 8: 933-943 (1989);
- Gronthos et al., Molecular and cellular characterisation of highly purified stromal stem cells derived from human bone marrow, (2003) J. Cell Sci. 116, 1827-1835;
- Guan et al., Lymphoid Cells Recognize an Alternatively Spliced Segment of Fibronectin via the Integrin Receptor a&. (1990) Cell 60,5 3-6 1;
- Guerrier-Takada et al., The RNA Moiety of Ribonuclease P Is the Catalytic Subunit of the Enzyme, (1983) Cell 35: 849-857;
- Hanahan et al., Patterns and Emerging Mechanisms Review, of the Angiogenic Switch during Tumorigenesis, (1996) Cell 86,353-364;
- Hambor et al., FUNCTIONAL CONSEQUENCES OF ANTI-SENSE RNA-MEDIATED INHIBITION OF CD8 SURFACE EXPRESSION IN A HUMAN T CELL CLONE, (1988) J. Exp. Med. 168: 1237-1 245;
- Hashimoto et al., Bone marrow-derived progenitor cells in pulmonary fibrosis (2004) J. Clin. Invest. 113,243-252;
- Hattori et al., Vascular Endothelial Growth Factor and Angiopoietin-1Stimulate Postnatal Hematopoiesis by Recruitment of Vasculogenic and Hematopoietic Stem Cells, (2001) J. Exp. Med. 193, 1005-1014;

- Hatzopoulos et al., Isolation and characterization of endothelial progenitor cells from mouse embryos, (1998) Development 125: 1457-1468;
- Hemler et al., Characterization of the Cell Surface Heterodimer VLA-4 and Related Peptides*, (1987) J. Biol. Chem. 262: 11478;
- Hemler et al., The VLA Protein Family CHARACTERIZATION OF FIVE DISTINCT CELL SURFACE HETERODIMERS EACH WITH A COMMON 130,000 MOLECULAR WEIGHT P SUBUNIT*, (1987) J. Biol. Chem. 262,3300-3309;
- Hofacker et al., Fast Folding and Comparison of RNA Secondary Structures, (1994) Monatshefie F. Chemie 125: 167-188;
- Holzmann et al., Identification of a Murine Pever's Patch-Specific Lymphocyte Homing Receptor as an Integrin Molecule with an a Chain Homologous to Human VLA-4a, (1989) Cell 56: 37 - 46);
- Humphries et al., A Synthetic Peptide from Fibronectin Inhibits Experimental Metastasis of Murine Melanoma Cells, Science, 233: 467-470 (1986);
- Humphries et al., Investigation of the Biological Effects of Anti-Cell Adhesive Synthetic Peptides That Inhibit Experimental Metastasis of B16-F1O Murine Melanoma Cells, J. Clin. Invest., 81: 782-790 (1988);
- Huse et al., Generation of a Large Combinatorial Library of the Immunoglobulin Repertoire in Phage Lambda, Science 246: 1275-128 1 (1989);
- Issekutz, INHIBITION OF IN VIVO LYMPHOCYTE HOMING TO LYMPHOID TISSUES BY MIGRATION TO INFLAMMATION AND THE TA-2 MONOCLONAL ANTIBODY, (1991) J. Immunol 147:4178-4184;
- Jackson et al., Potent r4âl Peptide Antagonists as Potential Anti-Inflammatory Agents, J. Med. Chem. (1997) 40(21): 3359-68;
- Jain et al., Role of bone marrow-derived cells in tumor angiogenesis and treatment. (2003) Cancer Cell 3.515-5 16;
- Kalka et al., Transplantation of ex vivo expanded endothelialprogenitor cells for therapeutic neovascularization, Proc Natl Acad Sci U S A. 2000 Mar 28; 97(7): 3422-7:
- Kamber et al., The Synthesis of Cystine Peptides by Iodine Oxidation of S-Triyl-cysteine and S-Acetamidomethyl-cysteine Peptides', Helv. Chim. Acta 63: 899 (1980);
- Kamps et al., Preparation and characterization of conjugates of (modified) human serum albumin and liposomes: drug carriers with an intrinsic anti-HIV activity, (1996) Biochim. Biophys. Acta 1278:183-190;
- Karaoglu et al., Functional Characterization of Ost3p. Loss of the 34-kD Subunit of the Saccharomyces cerevisiae Oligosaccharyltransferase Results in Biased Underglycosylation of Acceptor Substrates, J. Cell Biol. 130: 567-577; (1995);
- Kawamoto 25 et al., Therapeutic Potential of Ex Vivo Expanded Endothelial Progenitor Cells for Myocardial Ischemia, (2001) Circulation 103,634-637;
- Kennedy, Anti-idiotypes and Immunity, (1986) Sci. 10 Am. 255:48-56;
- Kikuta et al., Mobilization of hematopoietic primitive and committed progenitor cells into blood in mice by anti-vascular adhesion molecule-I antibody alone or in combination with granulocyte colony-stimulating factor,

- Exp. Hematol. 2000, Vol. 28, pp. 311-17;
- Kim et al., Regulation of Angiogenesis in Vivo by Ligation of Integrin a5b1 with the Central Cell-Binding Domain of Fibronectin, Am J Pathol. 2000 Apr, 156 (4): 1345-62):
- Kinashi et al., Adhesion Molecules in Hematopoietic Cells, (1994) Blood Cells 20: 25 - 44);
- Koivunen et al., Isolation of a Highly Specific Ligand for the ois(3i Integrin from a Phage Display Library, J. Cell Biol., 124: 373-380 (1994);
- Kruger et al., Self-Splicing RNA: Autoexcision and Autocyclization of the Ribosomal RNA Intervening Sequence of Tetrahymena, (1982) Cell 3 1: 147-1 57;
- Kwee et al., Defective development of the embryonic and extraembryonic circulatory systems in vascular cell adhesion molecule (VCAM-1) deficient mice, (1995) Development 121; 489-503;
- LaBarge et al., Biological Progression from Adult Bone Marrow to Mononucleate Muscle Stem Cell toMultinucleate Muscle Fiber in Response to Injury, (2002) Cell. 11 1, 589-601;
- Liang et al., Parallel Synthesis and Screening of a Solid Phase Carbohydrate Library, Science 274: 1520-1 522 (1996);
- Lin et al., Very late antigen 4 (VLA4) agents, (1998) Current Opinion in Chemical Biology 2:453-457;
- Lin et al., Selective, Tight-Binding Inhibitors of Integrin r4âl That Inhibit Allergic Airway Responses. (1999) J. Med. Chem., 42:920-934;
- Lyden et al., Impaired recruitment of bone marrow-derived endothelial and hematopoietic precursor cells blocks tumor angiogenesis and growth, (2001) Nat. Med. 7, 1194-201;
- Marcinkiewicz et al., EC3, a Novel Heterodimeric Disintegrin from Echis carinatus Venom, Inhibits a4 and a5 Integrins in an RGD-independent Manner* J. Biol. Chem. (1999) 274(18): 1 2468-73;
- Markus-Sekura, Techniques for Using Antisense Oligodeoxyribonucleotides to Study Gene Expression, (1988) Anal. Biochem. 172:289-295;
- McCaskill, The Equilibrium Partition Function and Base PairBinding Probabilities for RNA Secondary Structure, (1990) Biopolymers 29: 1 105-1 1
- Melder et al., During angiogenisis, vascular endothelial growth and basic fibroblast growth factor regulate natural killer cell adhesion to tumor endothelium, (1996) Nat Med 2:992-997;
- Miyake et al., A VCAM-like Adhesion Molecule on Murine Bone Marrow Stromal Cells Mediates Binding of Lymphocyte Precursors in Culture, (1991) J. Cell Biol. 114, 557-56.
- Miyake et al., Requirement for VLA-4 and VLA-5 Integrins in Lymphoma Cells Binding to and Migration beneath Stromal Cells in Culture, (1992) J. Cell Biol., 119,653-662:
- Morales-Ducret et al., ~ q / @ l INTEGRIN (VLA-4) LIGANDS IN ARTHRITIS

- Vascular Cell Adhesion Molecule-1 Expression in Synovium and on Fibroblast-Like Synoviocytesl, J. Immunol. 1992 149 (4): 1424-3 1;
- Mostafavi-Pour et al., Identification of a novel heparin-binding site in the alternatively spliced IIICS region of fibronectin: roles of integrins and proteoglycans in cell adhesion to fibronectin splice variants, (2001) Matrix Biology 20(1): 63-73;
- Munoz et al., A novel region of the a4 integrin subunit with a modulatory role in VLA-4-mediated cell adhesion to fibronectin, (1997) Biochem J., 327, 27-733;
- Nakao et al., Synergistic Effect of TNF-_ in Soluble VCAM-1-Induced Angiogenesis Through _4 Integrins1, J. Immunol. 2003 Un 1; 170 (11): 5704-11);
- Needham et al., Activation Dependent and Independent VLA-4 Binding Sites on Vascular Cell Adhesion Molecule-1, (1994) Cell Adhes. Commun. 2:87-99;
- Nowlin et al., A Novel Cyclic Pentapeptide Inhibits a401 and a501 Integrin-mediated Cell Adhesion*, J. Biol. Chem. (1993) Sep 25,268(27): 20352-9:
- Ossonowski and Reich, Experimental Model for Quantitative Study of Metastasis 1, Cancer Res., 30: 2300-2309 (1980);
- Otani et al., Bone marrow-derived stem cells target retinal astrocytes and can promote or inhibit retinal angiogenesis, (2004) J. Clin. Invest. 114,765-774;
- Otani et al., Rescue of retinal degeneration by intravitreally injected adult bone marrow-derived lineage-negative hematopoietic stem cells (2002) Nat. Med. 8, 1004-1010 (2002);
- Papayannopoulou et al., Molecular pathways in bone marrow homing: dominant role of a4b1 over b2-integrins and selectins, (2001); Blood 98,2403-241 1;
- Peichev et al., Expression of VEGFR-2 and ACI33 by circulating human CD341 cells identifies a population of functional endothelial precursors, Blood. 2000 Feb 1; 95(3): 952-8);
- Pitot, H. C., The Language of Oncology, (1978) Dekker, Marcel (Ed.);
 Fundamentals of Oncology, New York pp. 15-28;
- Plaue, Synthesis of cyclic peptides on solid support Application to analogs of hemagglutinin of influenza virus, Int. J. Peptide Protein Res., 35: 5 10-5 17 (1990):
- Postigo et al., The or4PI/VCAM-1 adhesion pathway in physiology and disease, Research in Immunol. 1993 France, Vol. 144, No. 9, pp. 723-735;
- Priller et al., Neogenesis of cerebellar Purkinje neurons from gene-marked bone marrow cells in vivo, (2001) J. Cell Biol. 155, 733-738;
- Puttaraju et al., A circular trans-acting hepatitis delta virus ribozyme, (1993)
 Nucl. Acids Res. 21:4253-4258;
- Quackenbush et al., IDENTIFICATION OF SEVERAL CELL SURFACE PROTEINS OF NON-T, NON-BACUTE LYMPHOBLASTIC LEUKEMIA BY USING MONOCLONAL ANTIBODIES, (1985) J. Immunol. 134: 1276-1285;
- Rafii et al., Therapeutic stem and progenitor cell transplantation for organ vascularization and regeneration, (2003) Nat. Med. 9,702-12;
- Religa et al., SMOOTH-MUSCLE PROGENITOR CELLS OF BONE MARROW

- ORIGIN CONTRIBUTE TO THE DEVELOPMENT OF NEOINTIMAL THICKENINGS IN RAT AORTIC ALLOGRAFTS AND INJURED RAT CAROTID ARTERIESI, (2002) Transplantation 74, 13 10-13 15;
- Rose et al., Soluble VCAM-1 binding to a4 integrins is cell-type specific and activation dependent and is disrupted during apoptosis in T cells, (2000) Blood 95:602-609;
- Rosen et al., Roles for the Integrin VLA-4 and Its Counter Receptor VCAM-1 in Myogenesis, Cell. 1992 Jun 26; 69(7): 1107-19;
- Ruzinova et al., Effect of angiogenesis inhibition by Id loss and the contribution of bone-marrow-derived endothelial cells in spontaneous murine tumors, (2003) 35 Cancer Cell. 4: 277-289;
- Sanchez-Madrid et al., VLA-3: A novel polypeptide association within the VLA molecular complex: cell distribution and biochemical characterization* (1986) Eur. J. Immunol. 16, 1342-1349;
- Shahinian et al., A novel strategy affords high-yield coupling of antibody Fab fragments to liposomes, (1995) Biochim. Biophys. Acta 1239:157-167;
- Sheremata et al., A safety and pharmacokinetic study of intravenous natalizumab in patients with MS, (1999) Neurology 52: No.5, March 23 1999;
- Simmons et al., Vascular Cell Adhesion Molecule-1 Expressed by Bone Marrow Stromal Cells Mediates the Binding of Hematopoietic Progenitor Cells, (1992) Blood. 80, 3 8 8-395;
- Sioud et al., Prevention of human immunodeficiency virus type 1 integrase expression in Escherichia coli by a ribozyme, (1991) Proc. Natl. Acad. Sci. USA 88:7303-7307;
- Souers et al., NOYEL INHIBITORS OF a4131 INTEGRIN RECEPTOR INTERACTIONS THROUGH LIBRARY SYNTHESIS AND SCREENING, (1998) Bioorg. Med. Chem. Lett., 8:2297-2302;
- Takahashi et al., Ischemia- and cytokine-induced mobilization of bone marrowderived endothelial progenitor cells for neovascularization, (1999) Nat. Med. 5,434-438;
- Tam et al., Disulfide Bond Formation in Peptides by Dimethyl Sulfoxide. Scope and Applications, (1991) J. Am. Chem. Soc., 11 3: 6657-6662;
- Tamaki et al., Identification of myogenic-endothelial progenitor cells in the interstitial spaces of skeletal muscle, (2002) J. Cell Biol. 157, 571-577;
- Teixido et al., Role of Ih, and I#2 Integrins in the Adhesion of Human CD34hI Stem Cells to Bone Marrow Stroma, J. Clin. Invest. 1992, Vol. 90, pp.358-67;
- Terskikh, Gene expression analysis of purified hematopoietic stem cells and committed progenitors, (2003) Blood 102,94-101;
- Torrente et al., Identification of a putative pathway for the muscle homing of stem cells in a muscular dystrophy model, (2003) J. Cell Biol. 162,5 11-520;
- Torrente et al., Human circulating AC133+ stem cells restore dystrophin expression and ameliorate function in dystrophic skeletal muscle, (2004) J. Clin. Invest. 114, 182-195.
- Tubridy et al., The effect of anti-cw4 integrin antibody on brain lesion activity in MS, (1999) Neurology 53(3): 466-72;

- Ulbrich et al., Leukocyte and endothelial cell adhesion molecules as targets for therapeutic interventions in inflammatory disease, Trends in Pharma. Sci., Vol. 24. No. 12. Dec. 2003. pp. 640-647:
- Urbich et al., Endothelial Progenitor Cells Functional Characterization, Trends in Cardio. Med., Vol. 14, No. 8, Nov. 2004 (2004-11), pp. 318-22;
- Verheul et al., Monopalmitic acid-peptide conjugates induce cytotoxic T cell responses against malarial epitopes: importance of spacer amino acids, (1995). J. Immunol. Methods 182:219-226.
- Ward et al., Binding activities of a repertoire of single immunoglobulin variable domains secreted from Escherichia Coli, Nature 341: 544-546 (1989);
- Wayner et al., Identification and Characterization of the T Lymphocyte Adhesion Receptor for an Alternative Cell Attachment Domain (CS-1) in Plasma Fibronectin. J. Cell Biol. (1989) 109(3): 1321-30;
- Wayner et al., Activation-dependent Recognition by Hematopoietic Cells of the LDV Sequence in the V Region of Fibronectin, J. Cell Biol. (1992) 116(2): 489-97;
- Winter et al., Humanized antibodies, Immunol. Today 14:243-246 (1993);
- Wolfe, Stephen L. (Ed.), "Molecular and Cellular Biology," Wadsworth Publishing Company (1993) p. 575;
- Wu et al., Reversible Cleavage and Ligation of Hepatitis Delta Virus RNA, (1989) Science 243:652-655;
- Yang et al., Cell adhesion events mediated by a4 integrins are essential in placental and cardiac development, (1995) Development 121, 549-5 60;
- Yednock et al., a4b1 Integrin-dependent Cell Adhesion Is Regulated by a Low Affinity Receptor Pool That Is Conformationally Responsive to Ligand*, (1995) J. Biol. Chem. 270:28740-28750;
- York et al., The structures of arabinoxyloglucans produced by solanaceous plants, Carb. Res. 285:99-128 (1996); and
- Zimmer et al., Peptides, 393-394 (1992), ESCOM Science Publishers, B.V., 1993.¹

Applicant has become aware of the following documents, which may be material to the examination of this application:

- U.S. Patent No. 6.184,206, J. Smith, issued 02-06-2001; and
- Ryan et al., INHIBITION OF HUMAN BONE MARROW LYMPHOID PROGENITOR COLONIES BY ANTIBODIES TO VLA INTEGRINS', (1992) J. of Immunol. U.S., Vol. 149, No. 11, pp. 3759-3764.

This Information Disclosure Statement under 37 C.F.R. §§ 1.56 and 1.97 is not to be construed as a representation that a search has been made, that additional information material to

Patent Application Serial No. 10/573,944 Attorney Docket No. UCSD-10834

the examination of this application does not exist, or that any one or more of these citations constitutes prior art.

Dated: ____June 30, 2009____

Mala Hamdan

Maha A. Hamdan

Registration No. 43,655

MEDLEN & CARROLL, LLP

101 Howard Street, Suite 350 San Francisco, California 94105

415.904.6500